


## Fraises circulaires MD (suite) Denture fine

## Slitting saws in solid carbide Fine pitch



| Ø d1 | Ø d2 h7 | ep +/- 0.01 | Z  |
|------|---------|-------------|----|
| 15   | 5       | 0,10        | 64 |
| 15   | 5       | 0,15        | 64 |
| 15   | 5       | 0,20        | 64 |
| 15   | 5       | 0,25        | 64 |
| 15   | 5       | 0,30        | 64 |
| 15   | 5       | 0,35        | 64 |
| 15   | 5       | 0,40        | 64 |
| 15   | 5       | 0,45        | 48 |
| 15   | 5       | 0,50        | 48 |
| 15   | 5       | 0,60        | 48 |
| 15   | 5       | 0,70        | 48 |
| 15   | 5       | 0,80        | 40 |
| 15   | 5       | 0,90        | 40 |
| 15   | 5       | 1,00        | 40 |
| 15   | 5       | 1,10        | 40 |
| 15   | 5       | 1,20        | 40 |
| 15   | 5       | 1,30        | 40 |
| 15   | 5       | 1,40        | 40 |
| 15   | 5       | 1,50        | 40 |
| 15   | 5       | 1,60        | 40 |
| 15   | 5       | 1,70        | 40 |
| 15   | 5       | 1,80        | 40 |
| 15   | 5       | 1,90        | 40 |
| 15   | 5       | 2,00        | 40 |
| 15   | 5       | 2,50        | 40 |
| 15   | 5       | 3,00        | 40 |
| 15   | 5       | 3,50        | 24 |
| 15   | 5       | 4,00        | 24 |
| 15   | 5       | 5,00        | 24 |
| 15   | 5       | 6,00        | 24 |

| Ø d1 | Ø d2 h7 | ep +/- 0.01 | Z  |
|------|---------|-------------|----|
| 20   | 5       | 0,10        | 80 |
| 20   | 5       | 0,15        | 80 |
| 20   | 5       | 0,20        | 80 |
| 20   | 5       | 0,25        | 64 |
| 20   | 5       | 0,30        | 64 |
| 20   | 5       | 0,35        | 64 |
| 20   | 5       | 0,40        | 64 |
| 20   | 5       | 0,45        | 48 |
| 20   | 5       | 0,50        | 48 |
| 20   | 5       | 0,60        | 48 |
| 20   | 5       | 0,70        | 48 |
| 20   | 5       | 0,80        | 40 |
| 20   | 5       | 0,90        | 40 |
| 20   | 5       | 1,00        | 40 |
| 20   | 5       | 1,10        | 40 |
| 20   | 5       | 1,20        | 40 |
| 20   | 5       | 1,30        | 40 |
| 20   | 5       | 1,40        | 40 |
| 20   | 5       | 1,50        | 40 |
| 20   | 5       | 1,60        | 40 |
| 20   | 5       | 1,70        | 32 |
| 20   | 5       | 1,80        | 32 |
| 20   | 5       | 1,90        | 32 |
| 20   | 5       | 2,00        | 32 |
| 20   | 5       | 2,50        | 32 |
| 20   | 5       | 3,00        | 32 |
| 20   | 5       | 3,50        | 24 |
| 20   | 5       | 4,00        | 24 |
| 20   | 5       | 5,00        | 24 |
| 20   | 5       | 6,00        | 24 |

## Fraises circulaires MD (suite)

### Denture fine

| Ø d1 | Ø d2 h7 | ep +/- 0.01 | Z  |
|------|---------|-------------|----|
| 25   | 8       | 0,10        | 80 |
| 25   | 8       | 0,15        | 80 |
| 25   | 8       | 0,20        | 80 |
| 25   | 8       | 0,25        | 80 |
| 25   | 8       | 0,30        | 80 |
| 25   | 8       | 0,35        | 64 |
| 25   | 8       | 0,40        | 64 |
| 25   | 8       | 0,45        | 64 |
| 25   | 8       | 0,50        | 64 |
| 25   | 8       | 0,60        | 64 |
| 25   | 8       | 0,70        | 48 |
| 25   | 8       | 0,80        | 48 |
| 25   | 8       | 0,90        | 48 |
| 25   | 8       | 1,00        | 48 |
| 25   | 8       | 1,10        | 48 |
| 25   | 8       | 1,20        | 48 |
| 25   | 8       | 1,30        | 40 |
| 25   | 8       | 1,40        | 40 |
| 25   | 8       | 1,50        | 40 |
| 25   | 8       | 1,60        | 40 |
| 25   | 8       | 1,70        | 40 |
| 25   | 8       | 1,80        | 40 |
| 25   | 8       | 1,90        | 40 |
| 25   | 8       | 2,00        | 40 |
| 25   | 8       | 2,50        | 40 |
| 25   | 8       | 3,00        | 32 |
| 25   | 8       | 3,50        | 32 |
| 25   | 8       | 4,00        | 32 |
| 25   | 8       | 5,00        | 32 |
| 25   | 8       | 6,00        | 24 |

## Slitting saws in solid carbide

### Fine pitch

| Ø d1 | Ø d2 h7 | ep +/- 0.01 | Z   |
|------|---------|-------------|-----|
| 30   | 8       | 0,10        | 100 |
| 30   | 8       | 0,15        | 100 |
| 30   | 8       | 0,20        | 100 |
| 30   | 8       | 0,25        | 100 |
| 30   | 8       | 0,30        | 80  |
| 30   | 8       | 0,35        | 80  |
| 30   | 8       | 0,40        | 80  |
| 30   | 8       | 0,45        | 80  |
| 30   | 8       | 0,50        | 80  |
| 30   | 8       | 0,60        | 64  |
| 30   | 8       | 0,70        | 64  |
| 30   | 8       | 0,80        | 64  |
| 30   | 8       | 0,90        | 64  |
| 30   | 8       | 1,00        | 64  |
| 30   | 8       | 1,10        | 48  |
| 30   | 8       | 1,20        | 48  |
| 30   | 8       | 1,30        | 48  |
| 30   | 8       | 1,40        | 48  |
| 30   | 8       | 1,50        | 48  |
| 30   | 8       | 1,60        | 48  |
| 30   | 8       | 1,70        | 48  |
| 30   | 8       | 1,80        | 48  |
| 30   | 8       | 1,90        | 48  |
| 30   | 8       | 2,00        | 48  |
| 30   | 8       | 2,50        | 40  |
| 30   | 8       | 3,00        | 40  |
| 30   | 8       | 3,50        | 40  |
| 30   | 8       | 4,00        | 40  |
| 30   | 8       | 5,00        | 32  |
| 30   | 8       | 6,00        | 32  |

## Fraises circulaires MD (suite)

### Denture fine

| Ø d1 | Ø d2 h7 | ep +/- 0.01 | Z   |
|------|---------|-------------|-----|
| 40   | 10      | 0,10        | 128 |
| 40   | 10      | 0,15        | 128 |
| 40   | 10      | 0,20        | 128 |
| 40   | 10      | 0,25        | 100 |
| 40   | 10      | 0,30        | 100 |
| 40   | 10      | 0,35        | 100 |
| 40   | 10      | 0,40        | 100 |
| 40   | 10      | 0,45        | 80  |
| 40   | 10      | 0,50        | 80  |
| 40   | 10      | 0,60        | 80  |
| 40   | 10      | 0,70        | 80  |
| 40   | 10      | 0,80        | 80  |
| 40   | 10      | 0,90        | 64  |
| 40   | 10      | 1,00        | 64  |
| 40   | 10      | 1,10        | 64  |
| 40   | 10      | 1,20        | 64  |
| 40   | 10      | 1,30        | 64  |
| 40   | 10      | 1,40        | 64  |
| 40   | 10      | 1,50        | 64  |
| 40   | 10      | 1,60        | 64  |
| 40   | 10      | 1,70        | 48  |
| 40   | 10      | 1,80        | 48  |
| 40   | 10      | 1,90        | 48  |
| 40   | 10      | 2,00        | 48  |
| 40   | 10      | 2,50        | 48  |
| 40   | 10      | 3,00        | 48  |
| 40   | 10      | 3,50        | 40  |
| 40   | 10      | 4,00        | 40  |
| 40   | 10      | 5,00        | 40  |
| 40   | 10      | 6,00        | 40  |

## Slitting saws in solid carbide

### Fine pitch

| Ø d1 | Ø d2 h7 | ep +/- 0.01 | Z   |
|------|---------|-------------|-----|
| 50   | 13      | 0,20        | 128 |
| 50   | 13      | 0,25        | 128 |
| 50   | 13      | 0,30        | 128 |
| 50   | 13      | 0,35        | 100 |
| 50   | 13      | 0,40        | 100 |
| 50   | 13      | 0,45        | 100 |
| 50   | 13      | 0,50        | 100 |
| 50   | 13      | 0,60        | 100 |
| 50   | 13      | 0,70        | 80  |
| 50   | 13      | 0,80        | 80  |
| 50   | 13      | 0,90        | 80  |
| 50   | 13      | 1,00        | 80  |
| 50   | 13      | 1,10        | 80  |
| 50   | 13      | 1,20        | 80  |
| 50   | 13      | 1,30        | 64  |
| 50   | 13      | 1,40        | 64  |
| 50   | 13      | 1,50        | 64  |
| 50   | 13      | 1,60        | 64  |
| 50   | 13      | 1,70        | 64  |
| 50   | 13      | 1,80        | 64  |
| 50   | 13      | 1,90        | 64  |
| 50   | 13      | 2,00        | 64  |
| 50   | 13      | 2,50        | 64  |
| 50   | 13      | 3,00        | 48  |
| 50   | 13      | 3,50        | 48  |
| 50   | 13      | 4,00        | 48  |
| 50   | 13      | 5,00        | 48  |
| 50   | 13      | 6,00        | 40  |

## Fraises circulaires MD (suite)

### Denture fine

| Ø d1 | Ø d2 h7 | ep +/- 0.01 | Z   |
|------|---------|-------------|-----|
| 63   | 16      | 0,20        | 160 |
| 63   | 16      | 0,25        | 128 |
| 63   | 16      | 0,30        | 128 |
| 63   | 16      | 0,35        | 128 |
| 63   | 16      | 0,40        | 128 |
| 63   | 16      | 0,45        | 128 |
| 63   | 16      | 0,50        | 128 |
| 63   | 16      | 0,60        | 100 |
| 63   | 16      | 0,70        | 100 |
| 63   | 16      | 0,80        | 100 |
| 63   | 16      | 0,90        | 100 |
| 63   | 16      | 1,00        | 100 |
| 63   | 16      | 1,10        | 80  |
| 63   | 16      | 1,20        | 80  |
| 63   | 16      | 1,30        | 80  |
| 63   | 16      | 1,40        | 80  |
| 63   | 16      | 1,50        | 80  |
| 63   | 16      | 1,60        | 80  |
| 63   | 16      | 1,70        | 80  |
| 63   | 16      | 1,80        | 80  |
| 63   | 16      | 1,90        | 80  |
| 63   | 16      | 2,00        | 80  |
| 63   | 16      | 2,50        | 64  |
| 63   | 16      | 3,00        | 64  |
| 63   | 16      | 3,50        | 64  |
| 63   | 16      | 4,00        | 64  |
| 63   | 16      | 5,00        | 48  |
| 63   | 16      | 6,00        | 48  |

## Slitting saws in solid carbide

### Fine pitch

| Ø d1 | Ø d2 h7 | ep +/- 0.01 | Z   |
|------|---------|-------------|-----|
| 80   | 22      | 0,30        | 160 |
| 80   | 22      | 0,35        | 160 |
| 80   | 22      | 0,40        | 160 |
| 80   | 22      | 0,45        | 128 |
| 80   | 22      | 0,50        | 128 |
| 80   | 22      | 0,60        | 128 |
| 80   | 22      | 0,70        | 128 |
| 80   | 22      | 0,80        | 128 |
| 80   | 22      | 0,90        | 100 |
| 80   | 22      | 1,00        | 100 |
| 80   | 22      | 1,10        | 100 |
| 80   | 22      | 1,20        | 100 |
| 80   | 22      | 1,30        | 100 |
| 80   | 22      | 1,40        | 100 |
| 80   | 22      | 1,50        | 100 |
| 80   | 22      | 1,60        | 100 |
| 80   | 22      | 1,70        | 80  |
| 80   | 22      | 1,80        | 80  |
| 80   | 22      | 1,90        | 80  |
| 80   | 22      | 2,00        | 80  |
| 80   | 22      | 2,50        | 80  |
| 80   | 22      | 3,00        | 80  |
| 80   | 22      | 3,50        | 64  |
| 80   | 22      | 4,00        | 64  |
| 80   | 22      | 5,00        | 64  |
| 80   | 22      | 6,00        | 64  |

## Fraises circulaires MD (suite)

### Denture fine

| Ø d1 | Ø d2 h7 | ep +/- 0.01 | Z   |
|------|---------|-------------|-----|
| 100  | 22      | 0,50        | 160 |
| 100  | 22      | 0,60        | 160 |
| 100  | 22      | 0,70        | 128 |
| 100  | 22      | 0,80        | 128 |
| 100  | 22      | 0,90        | 128 |
| 100  | 22      | 1,00        | 128 |
| 100  | 22      | 1,10        | 128 |
| 100  | 22      | 1,20        | 128 |
| 100  | 22      | 1,30        | 100 |
| 100  | 22      | 1,40        | 100 |
| 100  | 22      | 1,50        | 100 |
| 100  | 22      | 1,60        | 100 |
| 100  | 22      | 1,70        | 100 |
| 100  | 22      | 1,80        | 100 |
| 100  | 22      | 1,90        | 100 |
| 100  | 22      | 2,00        | 100 |
| 100  | 22      | 2,50        | 100 |
| 100  | 22      | 3,00        | 80  |
| 100  | 22      | 3,50        | 80  |
| 100  | 22      | 4,00        | 80  |
| 100  | 22      | 5,00        | 80  |
| 100  | 22      | 6,00        | 64  |

## Slitting saws in solid carbide

### Fine pitch

| Ø d1 | Ø d2 h7 | ep +/- 0.01 | Z   |
|------|---------|-------------|-----|
| 125  | 22      | 0,60        | 160 |
| 125  | 22      | 0,70        | 160 |
| 125  | 22      | 0,80        | 160 |
| 125  | 22      | 0,90        | 160 |
| 125  | 22      | 1,00        | 160 |
| 125  | 22      | 1,10        | 128 |
| 125  | 22      | 1,20        | 128 |
| 125  | 22      | 1,40        | 128 |
| 125  | 22      | 1,50        | 128 |
| 125  | 22      | 1,60        | 128 |
| 125  | 22      | 1,80        | 128 |
| 125  | 22      | 2,00        | 128 |
| 125  | 22      | 2,50        | 100 |
| 125  | 22      | 3,00        | 100 |
| 125  | 22      | 3,50        | 100 |
| 125  | 22      | 4,00        | 100 |
| 125  | 22      | 5,00        | 100 |
| 125  | 22      | 6,00        | 100 |

| Ø d1 | Ø d2 h7 | ep +/- 0.01 | Z   |
|------|---------|-------------|-----|
| 160  | 32      | 1,00        | 160 |
| 160  | 32      | 1,20        | 160 |
| 160  | 32      | 1,50        | 160 |
| 160  | 32      | 1,60        | 160 |
| 160  | 32      | 1,80        | 128 |
| 160  | 32      | 2,00        | 128 |
| 160  | 32      | 2,50        | 128 |
| 160  | 32      | 3,00        | 128 |