



$\alpha$	$\varnothing A$	Dh6	L	Rev. TiALN
35°	0.04	3	33	<input checked="" type="checkbox"/>
35°	0.05	3	33	<input checked="" type="checkbox"/>
35°	0.08	3	33	<input checked="" type="checkbox"/>
35°	0.10	3	33	<input checked="" type="checkbox"/>
35°	0.15	3	33	<input checked="" type="checkbox"/>
35°	0.20	3	33	<input checked="" type="checkbox"/>
35°	0.25	3	33	<input checked="" type="checkbox"/>
35°	0.30	3	33	<input checked="" type="checkbox"/>

$\alpha$	$\varnothing A$	Dh6	L	Rev. TiALN
40°	0.04	3	33	<input checked="" type="checkbox"/>
40°	0.05	3	33	<input checked="" type="checkbox"/>
40°	0.08	3	33	<input checked="" type="checkbox"/>
40°	0.10	3	33	<input checked="" type="checkbox"/>
40°	0.15	3	33	<input checked="" type="checkbox"/>
40°	0.20	3	33	<input checked="" type="checkbox"/>
40°	0.25	3	33	<input checked="" type="checkbox"/>
40°	0.30	3	33	<input checked="" type="checkbox"/>

$\alpha$	$\varnothing A$	Dh6	L	Rev. TiALN
50°	0.04	3	33	<input checked="" type="checkbox"/>
50°	0.05	3	33	<input checked="" type="checkbox"/>
50°	0.08	3	33	<input checked="" type="checkbox"/>
50°	0.10	3	33	<input checked="" type="checkbox"/>
50°	0.15	3	33	<input checked="" type="checkbox"/>
50°	0.20	3	33	<input checked="" type="checkbox"/>
50°	0.25	3	33	<input checked="" type="checkbox"/>
50°	0.30	3	33	<input checked="" type="checkbox"/>

$\alpha$	$\varnothing A$	Dh6	L	Rev. TiALN
60°	0.04	3	33	<input checked="" type="checkbox"/>
60°	0.05	3	33	<input checked="" type="checkbox"/>
60°	0.08	3	33	<input checked="" type="checkbox"/>
60°	0.10	3	33	<input checked="" type="checkbox"/>
60°	0.15	3	33	<input checked="" type="checkbox"/>
60°	0.20	3	33	<input checked="" type="checkbox"/>
60°	0.25	3	33	<input checked="" type="checkbox"/>
60°	0.30	3	33	<input checked="" type="checkbox"/>

1 dent renforcée  
1 reinforced tooth  
1 Zahn verstärkt

